FORSPAN ASSESSMENT MODEL FOR CONTINUOUS ACCUMULATIONS-BASIC INPUT DATA FORM (NOGA, Version 9, 2-10-03)

IDENTIFICATION INFORMATION

Assessment Geologist:	R.C. Johnson	Date:	9/19/2005								
Region:	North America	Number:	5								
Province:	Wind River Basin	Number:	5035								
Total Petroleum System:	Cretaceous-Lower Tertiary Composite	Number:	503502								
Assessment Unit:	Mesaverde Coalbed Gas	Number:	50350281								
Based on Data as of:	tested cells based on IHS Energy Data 2002, EUR ba	ased Wyoming Oil and	d Gas								
	Conservation Commission data										
Notes from Assessor:	analogs: Powder River Basin and Piceance Basin (50)200282) and Southw	estern								
	Wyoming (50370681)										
CHARACTERISTICS OF ASSESSMENT UNIT											
	Dil (<20,000 cfg/bo) <u>or</u> Gas (<u>></u> 20,000 cfg/bo), incl. disc		Gas								
What is the minimum tot	,	U.; bcfg for gas A.U.)									
Number of tested cells:	7										
	n total recovery per cell ≥ minimum: 1										
Established (discovered cells): X Hypothetical (no cells): cell (for cells ≥ min.): (mmbo for oil A.U.; bcfg for gas A	.11)									
iviedian total recovery per	1st 3rd discovered 2nd 3rd	3rd 3rd									
	Zha sha										
Assessment-Unit Probab	vilities:										
<u>Attribute</u>	Probability of occurr	ence (0-1.0)									
1. CHARGE: Adequate pe	troleum charge for an untested cell with total recovery	<u>></u> minimum.	1.0								
2. ROCKS: Adequate rese	rvoirs, traps, seals for an untested cell with total recov	ery <u>></u> minimum.	1.0								
3. TIMING: Favorable geo	logic timing for an untested cell with total recovery > m	inimum.	1.0								
Assessment-Unit GEOL	OGIC Probability (Product of 1, 2, and 3):		1.0								
NO. OF U	NTESTED CELLS WITH POTENTIAL FOR ADDITIO	NS TO RESERVES									
1. Total assessment-unit	area (acres): (uncertainty of a fixed value)										
calculated mear	n <u>649,000</u> minimum <u>584,000</u> mode <u>6</u>	49,000 maximum	713,000								
2. Area per cell of untest	ed cells having potential for additions to reserves (acre	s): (values are inhere	ently variable)								
	440.7	100	000								
calculated mear	<u>146.7</u> minimum <u>40</u> mode	120 maximum	280								
uncortainty of moon	· minimum 100 maximum 100										
uncertainty of mean	: minimum <u>100</u> maximum <u>190</u>										
Percentage of total ass	sessment-unit area that is untested (%): (uncertainty o	of a fixed value)									
o. I croomage of total ass	Coomon unit area that is unlested (70). (unlestantly o	i a fixed value)									
calculated mear	n 99.9 minimum 99.7 mode	99.9 maximum	100								

NO. OF UNTESTED CELLS WITH POTENTIAL FOR ADDITIONS TO RESERVES (Continued)

		(Continued)							
4.	 Percentage of untested assessment-unit area that has potential for additions to reserves (%): (a necessary criterion is that total recovery per cell ≥ minimum; uncertainty of a fixed value) 								
	calculated mean 11.7 r	minimum <u>1</u>	mode 7	maximum	27				
	Geologic evidence for estimates: At minimum, minimal development areas around USGS pilot areas; at mode, 10% of high potential area; at maximum, about 40% of the high potential area plus a minor amount of the low potential area								
	TOTAL RECOVERY PER CELL Total recovery per cell for untested cells having potential for additions to reserves: (values are inherently variable; mmbo for oil A.U.; bcfg for gas A.U.)								
	calculated mean 0.22 r	minimum 0.02	median 0.1	maximum	5				
(AVERAGE COPRODUCT RAT (unce <u>I assessment unit:</u> Gas/oil ratio (cfg/bo) NGL/gas ratio (bngl/mmcfg)	rtainty of fixed but unk			naximum				
_	as assessment unit: _iquids/gas ratio (bliq/mmcfg)	0	2	_	5				

	RY DATA FOR UNTESTI are inherently variable)	ED CELLS	
Oil assessment unit: API gravity of oil (degrees) Sulfur content of oil (%) Depth (m) of water (if applicable)	minimum	mode	maximum
Drilling depth (m)			
minimum F75 	mode	F25 	maximum
Gas assessment unit: Inert-gas content (%) CO ₂ content (%) Hydrogen sulfide content (%) Heating value (BTU) Depth (m) of water (if applicable)	minimum 0.10 0.50 0.00 850	mode 0.30 1.80 0.00 950	maximum 1.00 20.00 0.00 1050
Drilling depth (m)			
minimum F75 90 779	mode 1200	F25 1294	maximum 1800
Success ratios: calculated mean Future success ratio (%) 41.7 Historic success ratio, tested cells (%) 14	minimum 10	mode 50	maximum 65
 Completion practices: Typical well-completion practices (conventional, Fraction of wells drilled that are typically stimula Predominant type of stimulation (none, frac, acid Fraction of wells drilled that are horizontal 	ted	ther) conventional 1 hydro 0	

ALLOCATIONS OF POTENTIAL ADDITIONS TO RESERVES TO STATES

Surface Allocations (uncertainty of a fixed value)

1.	Wyoming		_represents_	100	_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
Ga	s in gas assessment unit: Volume % in entity			100	_	
2.			_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
Ga	s in gas assessment unit: Volume % in entity				_	
3.			_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	<u> </u>	maximum
Ga	s in gas assessment unit: Volume % in entity				<u> </u>	
4.			_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
Ga	s in gas assessment unit: Volume % in entity				_	
5.			_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_	
6.			_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_	

7		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
8		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
9		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
10		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
11		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
12		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
					

ALLOCATIONS OF POTENTIAL ADDITIONS TO RESERVES TO GENERAL LAND OWNERSHIPS Surface Allocations (uncertainty of a fixed value)

1. Federal Lands		_represents_	41.08	_area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity			29		
2. Private Lands		_represents_	22.69	_area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity			22.5		
3. Tribal Lands		_represents_	31.39	area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	_ <u> </u>	maximum
Gas in gas assessment unit: Volume % in entity			45		
4. Other Lands		_represents_	0.24	area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity			0.5		
5. State 1 Lands		_represents_	4.61	_area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	_ <u> </u>	maximum
Gas in gas assessment unit: Volume % in entity			3		
6		_represents_		_area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	_ <u> </u>	maximum
Gas in gas assessment unit: Volume % in entity					

7		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
8		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
9		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
10		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
11		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
12		_represents_		area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
					

ALLOCATIONS OF POTENTIAL ADDITIONS TO RESERVES TO FEDERAL LAND SUBDIVISIONS Surface Allocations (uncertainty of a fixed value)

1.	Bureau of Land Management (BLM)		_represents_	40.85	_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode		maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity			29	_ ,	
2.	BLM Wilderness Areas (BLMW)		_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_ ,	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity					
3.	BLM Roadless Areas (BLMR)		_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	<u> </u>	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity					
4.	National Park Service (NPS)		_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode		maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_ ,	
5.	NPS Wilderness Areas (NPSW)		_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_ ,	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_ ,	
6.	NPS Protected Withdrawals (NPSP))	_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode		maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_	

7.	US Forest Service (FS)		_represents_		area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_	
8.	USFS Wilderness Areas (FSW)		_represents_		area % of	the AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_	
9.	USFS Roadless Areas (FSR)		_represents_		_area % of t	the AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_	
10.	USFS Protected Withdrawals (FSP)		_represents_		area % of	the AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_	
11.	US Fish and Wildlife Service (FWS)		_represents_		_area % of	the AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_	
12.	USFWS Wilderness Areas (FWSW)		_represents_		_area % of	the AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity					

13. USFWS Protected Withdrawals (FV	VSP)	_represents_		_area % of t	he AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
Gas in gas assessment unit: Volume % in entity				_	
14. Wilderness Study Areas (WS)		_represents_		_area % of t	he AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
Gas in gas assessment unit: Volume % in entity				_	
15. Department of Energy (DOE)		_represents_		_area % of t	he AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
Gas in gas assessment unit: Volume % in entity				_	
16. Department of Defense (DOD)		_represents_		_area % of t	he AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
Gas in gas assessment unit: Volume % in entity				_	
17. Bureau of Reclamation (BOR)		_represents_	0.23	_area % of t	he AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
Gas in gas assessment unit: Volume % in entity			0	_	
18. Tennessee Valley Authority (TVA)		_represents_		_area % of t	he AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
Gas in gas assessment unit: Volume % in entity					

19. Other Federal		represents		area % of the AU
Oil in oil assessment unit: Volume % in entity	minimum	. <u> </u>	mode	maximum ————
Gas in gas assessment unit: Volume % in entity		. <u> </u>		
20		represents		area % of the AU
Oil in ail accomment units				
Oil in oil assessment unit: Volume % in entity	minimum	. <u> </u>	mode	maximum

ALLOCATIONS OF POTENTIAL ADDITIONS TO RESERVES TO ECOSYSTEMS Surface Allocations (uncertainty of a fixed value)

1.	Central Basin and Hills (CNBH)		_represents_	94.5	_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity			94.5		
2.			represents	5.5	area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity			5.5	_	
3.			_represents_		area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_	
4.			_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
Ga	s in gas assessment unit: Volume % in entity				_	
5.			_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity				_	
6.			_represents_		_area % of t	he AU
<u>Oil</u>	in oil assessment unit: Volume % in entity	minimum		mode	_	maximum
<u>Ga</u>	s in gas assessment unit: Volume % in entity					

7		represents		_area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
8		_represents_		_area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
9		_represents_		_area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
10		_represents_		_area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
11		_represents_		_area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity				_	
12		_represents_		_area % of the AU	
Oil in oil assessment unit: Volume % in entity	minimum		mode	maximum 	
Gas in gas assessment unit: Volume % in entity					
- · · ,				_	